

1. Sato Y, Suganami H, Hamada C, Yoshimura I, Yoshida T, Yoshimura K. Designing a multistage, SNP-based, genome screen for common diseases. *J Hum Genet.* 2004; 49: 669-676.
2. Sato Y, Suganami H, Hamada C, Yoshimura I, Sakamoto H, Yoshida T, Yoshimura K. The confidence interval of allelic odds ratios under the Hardy-Weinberg disequilibrium. *J Hum Genet.* 2006; 51: 772-780.
3. Hirakawa A, Sato Y, Sozu T, Hamada C. and Yoshimura I. Estimating the false discovery rate using mixed normal distribution for identifying differentially expressed genes in microarray data analysis. *Cancer Informatics.* 2008; 3: 140-8.
4. The Study Group of Millennium Genome Project for Cancer, Sakamoto H, Yoshimura K, Saeki N, Katai H, Shimoda T, Matsuno Y, Saito D, Sugimura H, Tanioka F, Kato S, Matsukura N, Matsuda N, Nakamura T, Hyodo I, Nishina T, Yasui W, Hirose H, Hayashi M, Toshiro E, Ohnami S, Sekine A, Sato Y, Totsuka H, Ando M, Takemura R, Takahashi Y, Ohdaira M, Aoki K, Honmyo I, Chiku S, Aoyagi K, Sasaki H, Ohnami S, Yanagihara K, Yoon KA, Kook MC, Lee YS, Park SR, Kim CG, Choi IJ, Yoshida T, Nakamura Y, Hirohashi S. Genetic variation in PSCA is associated with susceptibility to diffuse-type gastric cancer. *Nature Genetics.* 2008; 40: 730-740.
5. Osafune K, Caron L, Borowiak M, Martinez RJ, Fitz-Gerald CS, Sato Y, Cowan CA, Chien KR and Melton DA. Marked differences in differentiation propensity among human embryonic stem cell lines. *Nature Biotechnology.* 2008; 26: 313-315.
6. Ohnami S, Sato Y, Yoshimura K, Ohnami S, Sakamoto H, Ueno H, Ikeda M, Morizane C, himada K, Sakamoto Y, Esaki M, Hayashi M, Hirose H, Saito D, Sugimura H, Kosuge T, Okusaka T. and Yoshida, T. His595Tyr polymorphism in the methionine synthase reductase (MTRR) gene is associated with pancreatic cancer risk. *Gastroenterology.* 2008; 135: 477-88.
7. Nakayama R, Sato Y, Masutani M, Ogino H, Nakatani F, Chuman H, Beppu Y, Morioka H, Yabe H, Hirose H, Sugimura H, Sakamoto H, Ohta T, Toyama Y, Yoshida T and Kawai A. Association of a missense single nucleotide polymorphism, Cys1367Arg of the WRN gene, with the risk of bone and soft tissue sarcomas in Japan. *Cancer Sci.* 2008; 99: 333-339.
8. Hirakawa A, Sato Y, Hamada C and Yoshimura I. A new test statistic based on shrunken sample variance for identifying differentially expressed genes in small microarray experiments. *Bioinform Biol Insights.* 2008; 2: 145-156.
9. Ochiai H, Nakanishi Y, Fukasawa Y, Sato Y, Yoshimura K, Moriya Y, Kanai Y, Watanabe M, Hasegawa H, Kitagawa Y, Kitajima M. and Hirohashi S. A new formula for predicting liver metastasis in patients with colorectal cancer: Immunohistochemical analysis of a large series of 439 surgically resected cases. *Oncology.* 2008; 75:32-41.
10. Sato Y, Laird NM, Nagashima K, Kato R, Hamano T, Yafune A, Kaniwa N, Saito Y, Sugiyama E, Kim SR, Furuse J, Ishii H, Ueno H, Okusaka T, Saijo N, Sawada J, and Yoshida T. A New Statistical Screening Approach for Finding Pharmacokinetics-related Genes in Genome-wide Studies. The

Pharmacogenomics Journal. *Pharmacogenomics J.* 2009; 9(2):137-46.

11. Sato Y, Laird NM, Suganami H, Hamada C, Niki N, Yoshimura I and Yoshida T. Statistical screening method for genetic factors influencing susceptibility to common diseases in a two-stage genome-wide association study. *Stat Appl Genet Mol Biol.* 2009;8(1):Article 46.
12. Sangrajrang S, Sato Y, Sakamoto H, Ohnami S, Laird NM, Khuhaprema T, Wiangnon S, Brennan P, Boffetta P, Yoshida T. Genetic polymorphisms of estrogen metabolizing enzyme and breast cancer risk in Thai women. *Int J Cancer.* 2009; 125(4):837-43.
13. Moriya J, Minamino T, Tateno K, Shimizu N, Kuwabara Y, Sato Y, Saito Y, and Komuro I. Long-term outcome of therapeutic neovascularization using peripheral blood mononuclear cells for limb ischemia. *Circ Cardiovasc Interv.* 2009; 2: 245-254.
14. Isose S, Kuwabara S, Kokubun N, Sato Y, Mori M, Shibuya K, Sekiguchi, Y, Nasu A, Fujimaki Y, Noto Y, Sawai S, Hirata K, Misawa S and The Tokyo Metropolitan Neuromuscular Electrodiagnosis Study Group. Utility of the distal compound muscle action potential duration for diagnosis of demyelinating neuropathies. *J Peripher Nerv Syst.* 2009; 14(3):151-8.
15. Fujimaki Y, Kuwabara S, Sato Y, Isose S, Shibuya K, Sekiguchi Y, Nasu S, Noto Y, Misawa S. The effects of age, gender, and body mass index on amplitude of sensory nerve action potentials: multivariate analyses. *Clin Neurophysiol.* 2009; 120 (9):1683-6.
16. Sato Y, Laird NM and Yoshida T. Biostatistic tools in Pharmacogenomics - advances, challenges, potential. *Curr Pharm Des.* 2010; 16 (20): 2232-40.
17. Sangrajrang S, Sato Y, Sakamoto H, Ohnami S, Khuhaprema T and Yoshida T. Genetic polymorphisms in folate and alcohol metabolism and breast cancer risk: a case-control study in Thai women. *Breast Cancer Res Treat.* 2010; 123(3):885-93.
18. Andoh M, Sato Y, Sakamoto H, Yoshida T, Ohtaki M. Detection of inappropriate samples in association studies by an IBS-based method considering linkage disequilibrium between genetic markers. *J Hum Genet.* 2010; 55(7):436-40.
19. Harada T, Ariyoshi N, Shimura H, Sato Y, Yokoyama I, Takahashi K, Yamagata SI, Imamaki M, Kobayashi Y, Ishii I, Miyazaki M, Kitada M. Application of Akaike information criterion to evaluate warfarin dosing algorithm. *Thromb Res.* 2010; 126 (3): 183-90.
20. Uzawa A, Mori M, Arai K, Sato Y, Hayakawa S, Masuda S, Taniguchi J, Kuwabara S. Cytokine and chemokine profiles in neuromyelitis optica: significance of interleukin-6. *Mult Scler.* 2010; 16(12):1443-52.
21. Ariyoshi N, Iga Y, Hirata K, Sato Y, Miura G, Ishii I, Nagamori S, Kitada M. Enhanced Susceptibility of HLA-mediated ticlopidine-induced idiosyncratic hepatotoxicity by CYP2B6 polymorphism in Japanese. *Drug Metab Pharmacokinet.* 2010; 25(3):298-306.
22. Okita K, Motohashi S, Shinnakasu R, Nagato K, Yamasaki K, Sato Y, Kitamura H, Hijikata A, Yamashita M, Shimizu K, Fujii S, Ohara O, Taniguchi M, Sakaida I and Nakayama T. A set of genes

- associated with the interferon- γ response of lung cancer patients undergoing α -galactosylceramide-pulsed dendritic cell therapy. *Cancer Sci.* 2010; 101(11): 2333-40.
- 23. Serizawa T, Yamamoto M, Sato Y, Higuchi Y, Nagano O, Kawabe T, Matsuda S, Ono J, Saeki N, Hatano M, and Hirai T. Gamma Knife surgery as sole treatment for multiple brain metastases: 2-center retrospective review of 1508 cases meeting the inclusion criteria of the JLGK0901 multi-institutional prospective study. *J Neurosurg* 2010; 113: 48-52.
 - 24. Noto Y, Shibuya K, Sato Y, Kanai K, Misawa S, Sawai S, Mori M, Uchiyama T, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Kasai T, Tokuda T, Nakagawa M, Kuwabara S. Elevated CSF TDP-43 levels in amyotrophic lateral sclerosis: specificity, sensitivity, and a possible prognostic value. *Amyotroph Lateral Scler.* 2011; 12(2):140-3.
 - 25. Sato Y, Yamamoto N, Kunitoh H, Ohe Y, Laird NM, Noriko Katori4, Saito Y, Ohnami S, Sakamoto H, Sawada J, Saijo N, Yoshida T and Tamura T. Genome-wide association study on overall survival of advanced non-small cell lung cancer patients treated with carboplatin and paclitaxel. *J Thorac Oncol.* 2011; 6(1):132-138.
 - 26. Tabata M, Shimokawa T, Fukui T, Manabe S, Sato Y, and Takanashi S. New uncoated vascular prosthesis reduces mediastinal tube drainage after thoracic aortic surgery. *Ann Thorac Surg.* 2011; 91(3):899-902.
 - 27. Shinozaki K, Oda S, Sadahiro T, Nakamura M, Hirayama Y, Watanabe E, Tateishi Y, Nakanishi K, Kitamura N, Sato Y, Hirasawa H. Blood ammonia and lactate levels on hospital arrival as a predictive biomarker in patients with out-of-hospital cardiac arrest. *Resuscitation.* 2011; 82(4):404-9.
 - 28. Kitamura A, Matsushita K, Takiguchi Y, Shimada H, Tada Y, Yamanaka M, Hiroshima K, Tagawa M, Tomonaga T, Matsubara H, Inoue M, Hasegawa M, Sato Y, Levens D, Tatsumi K, and Nomura F. Synergistic effect of non-transmissible Sendai virus vector encoding the *c-myc* suppressor FUSE-binding protein-interacting repressor plus cisplatin in the treatment of malignant pleural mesothelioma. *Cancer Sci.* 2011; 102(7): 1366-1373.
 - 29. Nakamura J, Kishida S, Harada Y, Iida S, Oinuma K, Yamamoto S, Nakajima T, Takazawa M, Shigemura T, Ohtori S, Sato Y, and Takahashi K. Inter-observer and intra-observer reliabilities of the Japanese Ministry of Health, Labor and Welfare type classification system for osteonecrosis of the femoral head. *Modern Rheumatology.* 2011; 21(5):488-94.
 - 30. Uzawa A, Mori M, Sato Y, Masuda S, Kuwabara S. CSF interleukin-6 level predicts recovery from neuromyelitis optica relapse. *J Neurol Neurosurg Psychiatry.* 2012; 83(3):339-40.
 - 31. Noto Y, Kanai K, Misawa S, Sato Y, Shibuya K, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Ohmori S, Nakagawa M, Kuwabara S. Activity-dependent changes in impulse conduction of single human motor axons: a stimulated single fiber electromyography study. *Clin Neurophysiol.* 2011; 122(12):2512-7.
 - 32. Uchiyama T, Sakakibara R, Yamamoto T, Ito T, Yamaguchi C, Awa Y, Yanagisawa M, Higuchi Y,

- Sato Y, Ichikawa T, Yamanishi T, Hattori T, Kuwabara S. Urinary dysfunction in early and untreated Parkinson's disease. *J Neurol Neurosurg Psychiatry*. 2011; 82(12):1382-6.
33. Nagashima K, Sato Y, and Hamada C. A modified maximum contrast method for unequal sample sizes in pharmacogenomic studies. *Stat Appl Genet Mol Biol*. 2011; 10(1): Article 41.
 34. Sangrajrang S, Sato Y, Sakamoto H, Ohnami S, Khuhaprema T, Yoshida T. REV1 genetic Polymorphisms and breast cancer risk in Thai women. *Genes and Environment*. 2011; 33(4):167-172.
 35. Yamamoto M, Sato Y, Serizawa T, Kawabe T, Higuchi Y, Nagano O, Barfod BE, Ono J, Kasuya H, Urakawa Y. Subclassification of recursive partitioning analysis Class II patients with brain metastases treated radiosurgically. *Int J Radiat Oncol Biol Phys*. 2012; 83(5):1399-405.
 36. Shibuya K, Misawa S, Arai K, Nakata M, Kanai K, Yoshiyama Y, Ito K, Isobe S, Noto Y, Nasu S, Sekiguchi Y, Fujimaki Y, Ohmori S, Kitamura H, Sato Y and Kuwabara S. Markedly reduced axonal potassium channel expression in human sporadic amyotrophic lateral sclerosis: an immunohistochemical study. *Exp Neurol*. 2011; 232(2):149-53.
 37. Wada H, Yoshida S, Suzuki H, Sakairi Y, Komura D, Sato Y, Yokoi S, Yoshino I. Transplantation of alveolar type II cells stimulates lung regeneration during compensatory lung growth in adult rats. *J Thorac Cardiovasc Surg*. 2012; 143(3):711-719.
 38. Sekiguchi Y, Uncini A, Yuki N, Misawa S, Notturno F, Nasu S, Kanai K, Noto Y, Fujimaki Y, Shibuya K, Ohmori S, Sato Y, Kuwabara S. Antiganglioside antibodies are associated with axonal Guillain-Barré syndrome: a Japanese-Italian collaborative study. *J Neurol Neurosurg Psychiatry*. 2012; 83(1):23-8.
 39. Kazama T, Kuroki Y, Kikuchi M, Sato Y, Nagashima T, Miyazawa Y, Sakakibara M, Kaneoya K, Makimoto Y, Hashimoto H, Motoori K, Takano H. Diffusion-weighted MRI as an adjunct to mammography in women under 50 years of age: an initial study. *J Magn Reson Imaging*. 2012; 36(1):139-44.
 40. Kanai K, Shibuya K, Sato Y, Misawa S, Nasu S, Sekiguchi Y, Mitsuma S, Isobe S, Fujimaki Y, Ohmori S, Koga S and Kuwabara S. Motor axonal excitability properties are strong predictors for survival in amyotrophic lateral sclerosis. *J Neurol Neurosurg Psychiatry*. 2012; 83(7):734-8.
 41. Takeuchi M, Nakaseko C, Ohwada C, Sato Y, Ohashi K, Kakihana K, Mori T, Aisa Y, Kanda Y, Takahashi S, Yokota A, Kawaguchi T, Saitoh T, Hatsumi N, Taguchi J, Takasaki H, Kanamori H, Maruta A, Sakamaki H, and Okamoto S. Allogeneic hematopoietic stem cell transplantation for primary and secondary myelofibrosis: a retrospective, multicenter study of the Kanto Study Group for Cell Therapy (KSGCT). *Journal of Hematopoietic Cell Transplantation*. 2012; 1(1) 15-23.
 42. Yamamoto M, Kawabe T, Higuchi Y, Sato Y, Barfod BE, Kasuya H, Urakawa Y. Validity of three recently proposed prognostic grading indexes for breast cancer patients with radiosurgically treated brain metastases. *Int J Radiat Oncol Biol Phys*. 2012; 84(5):1110-5.

43. Watanabe E, Zehnbauer BA, Oda S, Sato Y, Hirasawa H, Buchman TG. Tumor necrosis factor -308 polymorphism (rs1800629) is associated with mortality and ventilator duration in 1057 Caucasian patients. *Cytokine*. 2012; 60(1):249-56.
44. Tabata M, Shibayama K, Watanabe H, Sato Y, Fukui T, Takanashi S. Simple interrupted suturing increases valve performance after aortic valve replacement with a small supra-annular bioprosthetic. *J Thorac Cardiovasc Surg*. 2012; S0022-5223(12) 01397-9.
45. Sakai S, Nakaseko C, Takeuchi M, Ohwada C, Shimizu N, Tsukamoto S, Kawaguchi T, Jiang M, Sato Y, Ebinuma H, Yokote K, Iwama A, Fukamachi I, Schneider WJ, Saito Y, and Bujo H. Circulating soluble LR11/SorLA levels are highly increased and ameliorated by chemotherapy in acute leukemias. *Clin Chim Acta*. 2012; 413(19-20):1542-8.
46. Yamamoto M, Kawabe T, Higuchi Y, Sato Y, Nariai T, Barfod BE, Kasuya H, and Urakawa Y. Delayed complications in patients surviving at least 3 years after stereotactic radiosurgery for brain metastases. *Int J Radiat Oncol Biol Phys*. 2013; 85(1):53-60.
47. Muto M, Mori M, Sato Y, Uzawa A, Masuda S, Kuwabara S. Seasonality of multiple sclerosis and neuromyelitis optica exacerbations in Japan. *Mult Scler*. 2013; 19(3):378-9.
48. Kawabe T, Yamamoto M, Sato Y, Barfod BE, Urakawa Y, Kasuya H, and Mineura K. Gamma Knife surgery for patients with brainstem metastases. *J Neurosurg*. 2012; 117:23-30.
49. Sato D, Sato Y, Masuda S and Kimura H. Impact of the sitagliptin alert on prescription of oral antihyperglycemic drugs in Japan. *Int J Clin Pharm*. 2012; 34(6):917-24.
50. Ochiai S, Shimojo N, Morita Y, Tomiita M, Arima T, Inoue Y, Nakaya M, Uehara N, Sato Y, Mori C, Suzuki Y and Kohno Y. Cytokine biomarker candidates in breast milk associated with the development of atopic dermatitis in 6-month-old infants. *Int Arch Allergy Immunol*. 2012; 160(4):401-408.
51. Yamamoto M, Sato Y, Serizawa T, Kawabe T, Higuchi Y, Nagano O, Barfod BE, Ono J, Kasuya H, Urakawa Y. In Reply to Sperduto et al. *Int J Radiat Oncol Biol Phys*. 2012; 84(4):876-7.
52. Yoshida Y, Murayama T, Sato Y, Suzuki Y, Saito H, and Tanaka N. Validation of 7th TNM staging system for lung cancer, based on surgical outcomes. *Asian Cardiovasc Thorac Ann*. 2013; 21(6):693-9.
53. Matsushita A, Tabata M, Fukui T, Sato Y, Matsuyama S, Shimokawa T, Takanashi S. Outcomes of contemporary emergency open surgery for type A acute aortic dissection in elderly patients. *Thorac Cardiovasc Surg*. 2014; 147(1):290-4.
54. Ooka Y, Kanai F, Okabe S, Ueda T, Shimofusa R, Ogasawara S, Chiba T, Sato Y, Yoshikawa, M, Yokosuka O. Gadoxetic acid-enhanced MRI compared with CT during angiography in the diagnosis of hepatocellular carcinoma. *Magn Reson Imaging*. 2013; 31(5):748-54.
55. Yamamoto M, Serizawa T, Sato Y, Kawabe T, Higuchi Y, Nagano O, Barfod BE, Ono J, Kasuya H, and Urakawa Y. Validity of two recently-proposed prognostic grading indices for lung, gastro-

- intestinal, breast and renal cell cancer patients with radiosurgically-treated brain metastases. *J Neurooncol.* 2013; 111(3):327-335.
- 56. Takano H, Mizuma H, Kuwabara Y, Sato Y, Shindo S, Fujimatsu D, Inoue T, Node K, Komuro I. Effects of pitavastatin in Japanese patients with chronic heart failure : the Pitavastatin Heart Failure Study (PEARL Study). *Circ J.* 2013; 77(4):917-25.
 - 57. Knights J, Chanda P, Sato Y, Kaniwa N, Saito Y, Ueno H, Zhang A, and Ramanathan M. Vertical Integration of Pharmacogenetics in Population PK/PD Modeling: A Novel Information Theoretic Method. *Clinical Pharmacology & Therapeutics* 2013; 2, e25:1-10.
 - 58. Sato D, Sato Y, Masuda S and Kimura H. Effects of a Sitagliptin safety alert on prescription behaviour for Oral antihyperglycaemic drugs: a propensity score-matched cohort study of prescription receipt data in Japan. *Drug Saf.* 2013; 36(8):605-15.
 - 59. Yamamoto M, Kawabe T, Sato Y, Higuchi Y, Nariai T, Barford BE, Kasuya H and Urakawa Y. A case-matched study of stereotactic radiosurgery for patients with multiple brain metastases: comparing treatment results for 1-4 vs \geq 5 tumors: clinical article. *J Neurosurg.* 2013; 118(6):1258-68.
 - 60. Yoshinaga N, Niitsu T, Hanaoka H, Sato Y, Ohshima F, Matsuki S, Kobori O, Nakazato M, Nakagawa A, Iyo M and Shimizu E. Strategy for treating selective serotonin reuptake inhibitor-resistant social anxiety disorder in the clinical setting: a randomized controlled trial protocol of cognitive behavioural therapy in combination with conventional treatment. *BMJ Open.* 2013; 3(2).
 - 61. Shibuya K, Misawa S, Nasu S, Sekiguchi Y, Mitsuma S, Beppu M, Ohmori S, Iwai Y, Ito S, Kanai K, Sato Y, Kuwabara S. Split hand syndrome in amyotrophic lateral sclerosis: different excitability changes in the thenar and hypothenar motor axons. *J Neurol Neurosurg Psychiatry.* 2013; 84(9):969-72.
 - 62. Hino M, Shimojo N, Ochiai H, Inoue Y, Ando K, Chikaraishi K, Ota S, Okimoto Y, Sunami S, Nakamura R, Teshima R, Sato Y, Kohno Y. Expression of CD203c on basophils as a marker of immunoglobulin E-mediated (L)-asparaginase allergy. *Leuk Lymphoma.* 2014; 55(1):92-6.
 - 63. Nagashima K, Sato Y, Noma H, Hamada C. An efficient and robust method for analyzing population pharmacokinetic data in genome-wide pharmacogenomic studies: a generalized estimating equation approach. *Stat Med.* 2013; 32(27):4838-58.
 - 64. Kotooka N, Asaka M, Sato Y, Kinugasa Y, Nochioka K, Mizuno A, Nagatomo D, Mine D, Yamada Y, Eguchi K, Hanaoka H, Inomata T, Fukumoto Y, Yamamoto K, Tsutsui H, Masuyama T, Kitakaze M, Inoue T, Shimokawa H, Momomura S, Seino Y, Node K; HOMES-HF study investigators. Home telemonitoring study for Japanese patients with heart failure (HOMES-HF): protocol for a multicentre randomised controlled trial. *BMJ Open* 2013;3(6).
 - 65. Shimada J, Taniguchi J, Mori M, Sato Y, Takuwa H, Ito H, Kuwabara S. Retinol palmitate prevents ischemia-induced cell changes in hippocampal neurons through the Notch1 signaling pathway in

- mice. *Exp Neurol.* 2013; 247:182-187.
66. Knights J, Sato Y, Kaniwa N, Saito Y, Ueno H, and Ramanathan M. Genetic Factors associated with gemcitabine pharmacokinetics, disposition and Toxicity. *Pharmacogenet Genomics.* 2014; 24(1):15-25.
 67. Gosho M, Maruo K and Sato Y. Effect of covariate omission in Weibull accelerated failure time model : a caution. *Biom J.* 2014; 56(6):991-1000.
 68. Kanatsuka A, Sato Y, Kawai K, Hirao K, Kobayashi M, Kashiwagi A, Japan Diabetes Clinical Data Management Study Group. Evaluation of insulin regimens as an effective option for glycemic control in patients with type 2 diabetes: A propensity score-matched cohort study across Japan (JDDM31). *J Diabetes Investig.* 2014; 5(5):539-47.
 69. Kobayashi K, Yokoh H, Sato Y, Takemoto M, Uchida D, Kanatsuka A, Kurabayashi N, Terano T, Hashimoto N, Sakurai K, Hanaoka H, Ishikawa K, Onishi S, Yokote K, on behalf of the SUCCESS Study Group. Efficacy and safety of the dipeptidyl peptidase-4 inhibitor, sitagliptin compared with α -glucosidase inhibitor in Japanese patients with type 2 diabetes inadequately controlled on sulfonylurea alone (SUCCESS-2): a multicenter, randomized, open-label, non-inferiority trial. *Diabetes Obes Metab.* 2014; 16(8):761-765.
 70. Takazawa M, Nakamura J, Abe I, Ohtori S, Watanabe A, Sato Y, Sasho T, Orita S, Suzuki M, Motoori K, Masuda Y, Takahashi K, Kishida S. Predictive factors for acetabular labral lesions in osteoarthritis of the hip with radial magnetic resonance imaging – a cross-sectional study – *Mod Rheumatol.* 2014; 24(6):974-9.
 71. Gosho M, Sato Y, Takeuchi H. Robust covariance estimator for small-sample adjustment in the generalized estimating equations: A simulation study. *Science Journal of Applied Mathematics and Statistics.* 2014; 2(1):20-25.
 72. Watanabe S, Yamamoto M, Sato Y, Kawabe T, Higuchi Y, Kasuya H, Yamamoto T, Matsumura A, Barfod BE. Stereotactic radiosurgery for brain metastases: a case-matched study comparing treatment results for patients over 80 years of age or older versus patients 65-79 years of age. *J Neurosurg.* 2014; 121(5):1148-57.
 73. Yamamoto M, Serizawa T, Shuto T, Akabane A, Higuchi Y, Kawagishi J, Yamanaka K, Sato Y, Jokura H, Yomo S, Nagano O, Kenai H, Moriki A, Suzuki S, Kida Y, Iwai Y, Hayashi M, Onishi H, Gondo M, Sato M, Akimitsu T, Kubo K, Kikuchi Y, Shibasaki T, Goto T, Takanashi M, Mori Y, Takakura K, Saeki N, Kunieda E, Aoyama H, Momoshima S, Tsuchiya K. Stereotactic radiosurgery for patients with multiple brain metastases (JLGK0901) :a multi-institutional prospective observational study. *Lancet Oncol* 2014. 2014;15(4):387-95.
 74. Yamamoto M, Serizawa T, Shuto T, Akabane A, Higuchi Y, Kawagishi J, Yamanaka K, Sato Y, Jokura H. Stereotactic radiosurgery for patients with brain metastases - authors' reply. *Lancet Oncol.* 2014; 15 (7):e248.

75. Tabata M, Kasegawa H, Fukui T, Shimizu A, Sato Y, Takanashi S. Long-term outcomes of artificial chordal replacement with tourniquet technique in mitral valve repair: a single-center experience of 700 cases. *J Thorac Cardiovasc Surg.* 2014; 148(5):2033-2038.
76. Oyama J, Ishizu T , Sato Y, Kodama K, Bando YK, Murohara T, Node K, On behalf of the PROLOGUE Study Investigators. Rationale and design of a study to evaluate the effects of sitagliptin on atherosclerosis in patients with diabetes mellitus: PROLOGUE study. *Int J Cardiol.* 2014; 174(2):383-4.
77. Mitsuhashi A, Kiyokawa T, Sato Y and Shozu M. Effects of metformin on endometrial cancer cell growth in vivo: a preoperative prospective trial. *Cancer.* 2014; 120(19):2986-95.
78. Miura G, Ariyoshi N, Sato Y, Yamaguchi H, Iwata Y, Fujimoto Y, Kobayashi Y, Ishii I. Genetic and non-genetic factors responsible for antiplatelet effects of clopidogrel in Japanese patients undergoing coronary stent implantation: an algorithm to predict on-clopidogrel platelet reactivity. *Thromb Res.* 2014; 134(4):877-83.
79. Ishiwada N, Hishiki H, Nagasawa K, Naito S, Sato Y, Chang B, Sasaki Y, Kimura K, Ohnishi M, Shibayama K. The incidence of pediatric invasive Haemophilus influenzae and pneumococcal disease in Chiba prefecture, Japan before and after the introduction of conjugate vaccines. *Vaccine.* 2014; 32(42):5425-31.
80. Yamamoto M, Kawabe T, Sato Y, Higuchi Y, Nariai T, Watanabe S, and Kasuya H. Stereotactic radiosurgery for patients with multiple brain metastases: a case-matched study comparing treatment results for patients with 2-9 versus 10 or more tumors. *J Neurosurg.* 2014; 121 Suppl : 16-25.
81. Yamamoto M, Kawabe T, Higuchi Y, Sato Y, Nariai T, Watanabe S, Barfod BE, Kasuya H. Validity of Prognostic grading indices for brain metastasis patients undergoing repeat radiosurgery. *World Neurosurg.* 2014 82(6):1242-1249.
82. Yokoh H, Kobayashi K, Sato Y, Takemoto M, Uchida D, Kanatuka A, Kurabayashi N, Terano T, Hashimoto N, Sakurai K, Hanaoka H, Ishikawa K, Onishi S, Yokote K, on behalf of the SUCCESS Study Group. Efficacy and safety of the dipeptidyl peptidase-4 inhibitor sitagliptin compared with alpha-glucosidase inhibitor in Japanese patients with type 2 diabetes inadequately controlled on metformin or pioglitazone alone (Study for an Ultimate Combination Therapy to Control Diabetes with Sitagliptin-1): A multicenter, randomized, open-label, non-inferiority trial. *J Diabetes Investig.* 2015; 6 (2): 182-91.
83. Togawa Y, Kambe N, Shimojo N, Nakano T, Sato Y, Mochizuki H, Tanaka A, Matsuda H, Matsue H. Ultra-pure soft water improves skin barrier function in children with atopic dermatitis: a randomized, double-blind, placebo- controlled, crossover pilot study. *J Dermatol Sci.* 2014; 76(3): 269-71.
84. Katsuragi J, Sasho T, Yamaguchi S, Sato Y, Watanabe A, Akagi R, Muramatsu Y, Mukoyama S, Akatsu Y, Fukawa T, Endo J, Hoshi H, Yamamoto Y, Sasaki T, and Takahashi K. Hidden osteophyte formation on plain x-ray is the predictive factor for development of knee osteoarthritis after 48

months - data from the Osteoarthritis Initiative. *Osteoarthritis Cartilage*. 2015; 23(3):383-90.

85. Katayama K, Misawa S, Sato Y, Sobue G, Yabe I, Watanabe O, Nishizawa M, Kusunoki S, Kikuchi S, Nakashima I, Ikeda S, Kohara N, Kanda T, Kira J, Hanaoka H, Kuwabara S, on behalf of the J-POST Trial study investigators. Japanese POEMS syndrome with Thalidomide (J-POST) Trial: study protocol for a phase II/III multi-centre, randomized, double-blind, placebo-controlled trial. *BMJ Open* 2015; 5(1):e007330.
86. Mitsuma S, Van den Bergh P, Rajabally YA, Van Parijs V, Martin-Lamb D, Sonoo M, Inaba A, Shimizu T, Isobe S, Sato Y, Komori T, Misawa S, Kuwabara S; Tokyo Metropolitan Neuromuscular Electrodiagnosis Study Group. Effects of low frequency filtering on distal compound muscle action potential duration for diagnosis of CIDP: A Japanese-European multicenter prospective study. *Clin Neurophysiol*. 2015; 126(9):1805-10.
87. Fukawa T, Yamaguchi S, Watanabe A, Sasho T, Akagi R, Muramatsu Y, Akatsu Y, Katsuragi J, Endo J, Osone F, Sato Y, Okubo T and Takahashi K. Quantitative Assessment of Tendon Healing by Using MR T2 Mapping in a Rabbit Achilles Tendon Transection Model Treated with Platelet-rich plasma. *Radiology*. 2015; 276(3): 748-55.
88. Yoshida Y, Kage H, Murakawa T, Sato Y, Ota S, Fukayama M, and Nakajima J. Worse Prognosis for Stage IA Lung Cancer Patients with Smoking History and More Severe Chronic Obstructive Pulmonary Disease. *Ann Thorac Cardiovasc Surg*. 2015; 21(3):194-200.
89. Kawasaki K, Sato Y, Suzuki Y, Saito H, Nomura Y, Yoshida Y. Prognostic Factors for Surgically Resected N2 Non-small Cell Lung Cancer. *Ann Thorac Cardiovasc Surg*. 2015; 21(3):217-22.
90. Shibuya K, Misawa S, Kimura H, Noto YI, Sato Y, Sekiguchi Y, Iwai Y, Mitsuma S, Beppu M, Watanabe K, Fujimaki Y, Tsuji Y, Shimizu T, Mizuno T, Nakagawa M, Sawaguchi K, Hanaoka H, and Kuwabara S. A single blind randomized controlled clinical trial of mexiletine in amyotrophic lateral sclerosis: Efficacy and safety of sodium channel blocker phase II trial. *Amyotroph Lateral Scler Frontotemporal Degener*. 2015; 1-6.
91. Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Predictive power of a body shape index for development of diabetes, hypertension, and dyslipidemia in Japanese adults: a retrospective cohort study. *PLoS One*. 2015; 10(6):e0128972.
92. Toyohara T, Mae S, Sueta S, Inoue T, Yamagishi Y, Kawamoto T, Kasahara T, Hoshina A, Toyoda T, Tanaka H, Araoka T, Sato-Otubo A, Takahashi K, Sato Y, Yamaji N, Ogawa S, Yamanaka S, Osafune K. Cell Therapy Using Human Induced Pluripotent Stem Cell-Derived Renal Progenitors Ameliorates Acute Kidney Injury in Mice. *Stem Cells Transl Med*. 2015; 4(9):980-92.
93. Yoshida Y, Murayama T, Sato Y, Suzuki Y, Saito H, Nomura Y. Gender differences in long-term survival after surgery for non-small cell lung cancer. *Thorac Cardiovasc Surg*. 2016; 64(6):507-14
94. Gosho M, Hirakawa A, Noma H, Maruo K, Sato Y. Comparison of bias-corrected covariance estimators for MMRM analysis in longitudinal data with dropout. *Stat Methods Med Res*.

2017;26(5):2389-2406.

95. Yamaguchi S, Sasho T, Endo J, Yamamoto Y, Akagi R, Sato Y, Takahashi K. Shape of the lateral edge of the first metatarsal head changes depending on the rotation and inclination of the first metatarsal: a study using digitally reconstructed radiographs. *J Orthop Sci.* 2015;20(5):868–874.
96. Sato K, Sato Y, Shimojo N, Yoshihara S, Adachi Y, Kameda M, Terada A, and Fujisawa T, on behalf of the Best ACT Investigators. Development and validation of asthma questionnaire 1 for assessing and 2 achieving best control in preschool-age children. *Pediatric Allergy and Immunology.* 2016;27(3):307–312
97. Kanatsuka A, Sato Y, Kawai K, Hirao K, Kobayashi M, Kashiwagi A, Japan Diabetes Clinical Data Management Study Group (JDDM). Relationship between the Efficacy of Oral Anti-Diabetic Drugs and Clinical Features in Type 2 Diabetic Patients (JDDMX). *J Diabetes Investig.* 2016;7(3):386–395.
98. Matsushita A, Fukui T, Tabata M, Sato Y, and Takanashi S. Preoperative characteristics and surgical outcomes of acute intramural hematoma involving the ascending aorta: A propensity score-matched analysis. *J Thorac Cardiovasc Surg.* 2016;151(2):351–358.
99. Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Validity assessment of self-reported medication use by comparing pharmacy insurance claims. *BMJ Open* 2015; 5(11):e009490.
100. Misawa S, Sato Y, Katayama K, Hanaoka H, Sawai S, Beppu M, Nomura F, Shibuya K, Sekiguchi Y, Iwai Y, Watanabe K, Amino H, Ohwada C, Takeuchi M, Sakaida E, Nakaseko C, Kuwabara S. Vascular endothelial growth factor as a predictive marker for POEMS syndrome treatment response: Retrospective cohort study. *BMJ Open* 2015; 5(1):e007330.
101. Aoyagi R, Hamada H, Sato Y, Suzuki H, Onouchi Y, Ebata R, Nagashima K, Terauchi M, Terai M, Hanaoka H, Hata A, on behalf of the KAICA Trial investigators. Study Protocol for a Phase III Multi-centre, Randomized, Open-Label, Blinded-Endpoint Trial to Evaluate the Efficacy and Safety of Immunoglobulin Plus Cyclosporin A in Patients with Severe Kawasaki Disease (KAICA Trial). *BMJ Open* 2015; 5(12):e009562.
102. Shoji M, Kobayashi K, Takemoto M, Sato Y, and Yokote K. Urinary podocalyxin levels were associated with urinary albumin levels among patients with diabetes. *Biomarkers.* 2016; 21(2):164–7.
103. Hori Y, Kodera S, Sato Y, Shiojiri T. Eosinopenia as a Predictive Factor of the Short-Term Risk of Mortality and Infection after Acute Cerebral Infarction. *J Stroke Cerebrovasc Dis.* 2016;25(6):1307–12.
104. Urao Y, Yoshinaga N, Asano K, Ishikawa R, Tano A, Sato Y Shimizu E. Effectiveness of a cognitive behavioural therapy-based anxiety prevention programme for children: a preliminary quasi-experimental study in Japan. *Child Adolesc Psychiatry Ment Health.* 2016;10:4.
105. Yoshinaga N, Matsuki S, Niitsu T, Sato Y, Tanaka M, Ibuki H, Takanashi R, Ohshiro K, Ohshima F, Asano K, Kobori O, Yoshimura K, Hirano Y, Sawaguchi K, Koshizaka M, Hanaoka H, Nakagawa A,

- Nakazato M, Iyo M, Shimizu E. Treating Cognitive behavioral therapy for patients with social anxiety disorder who remain symptomatic following antidepressant treatment: a randomized, assessor-blinded, controlled trial. *Psychother Psychosom*. 2016; 85(4):208-17.
106. Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Income related inequality of health care access in Japan: A retrospective cohort study. *PLOS One*. 2016;11(3):e0151690.
107. Teramoto S, Osada H, Sato Y, Shozu M. Non-dominant small follicles are a promising source of mature oocytes in modified natural cycle in vitro fertilization and embryo transfer Fertility and Sterility. *Fertil Steril*. 2016;106(1):113-8.
108. Tanaka A, Inoue T, Kitakaze M, Oyama JI, Sata M, Taguchi I, Shimizu W, Watada H, Tomiyama H, Ako J, Sakata Y, Anzai T, Uematsu M, Suzuki M, Eguchi K, Yamashina A, Saito Y, Sato Y, Ueda S, Murohara T, and Node K. Rationale and design of a randomized trial to test the safety and non-inferiority of canagliflozin in patients with diabetes with chronic heart failure: the CANDLE trial. *Cardiovasc Diabetol*. 2016; 15:57.
109. Furuya K, Nagao M, Sato Y, Ito S, and Fujisawa T, on behalf of IPAD3g investigators. Predictive values of egg specific IgE by two commonly used assay systems for the diagnosis of egg allergy in young children: a prospective multicenter study. *Allergy*. 2016;71(10):1435-43.
110. Oyama J, Murohara T, Kitakaze M, Ishizu T, Sato Y, Kitagawa K, Kamiya H, Ajioka M, Ishihara M, Dai K, Nanasato M, Sata M, Maemura K, Tomiyama H, Higashi Y, Kaku K, Yamada H, Matsuhisa M, Yamashita K, Bando YK, Kashihara N, Ueda S, Inoue T, Node K, for the PROLOGUE Study Investigators. The Effect of Sitagliptin on Carotid Artery Atherosclerosis in Patients with Type 2 Diabetes: The PROLOGUE Randomized Controlled Trial. *Plos Medicine*. 2016;13(6):e1002051
111. Sato S, Ogura K , Takahashi K, Kutsuwada K, Sato Y, Yanagida N and Ebisawa M. Usefulness of antigen-specific IgE probability curves derived from the 3gAllergy assay in diagnosing egg, cow's milk, and wheat allergies. *Allergol Int*. 2016. pii: S1323-8930(16)30099-5.
112. Oyama J, Tanaka A, Sato Y, Tomiyama H, Sata M, Ishizu T, Taguchi I, Kuroyanagi T, Teragawa H, Ishizaka N, Kanzaki Y, Ohishi M, Eguchi K, Higashi Y, Yamada H, Maemura K, Ako J, Bando Y, Ueda S, Inoue T, Murohara T, Node K. Rationale and design of a multicenter randomized study for evaluating vascular function under uric acid control using the xanthine oxidase inhibitor, febuxostat: the PRIZE study. *Cardiovasc Diabetol*. 2016;15:87. doi: 10.1186/s12933-016-0409-2.
113. Kanatsuka A, Sato Y, Kawai K, Hirao K, Kobayashi M, Kashiwagi A; Japan Diabetes Clinical Data Management Study Group (JDDM), Abe N, Arai K, Fujiya H, Fukumoto Y, Dake F, Iizumi T, Ito M, Iwasaki K, Kanamori A, Kato S, Kato M, Kawara A, Kimura K, Chikamori K, Iemitsu K, Kou S, Kudo M, Kurihara Y, Lee G, Tsuruoka A, Manda N, Matoba K, Hayashi H, Minami M, Kurabayashi N, Miyazawa K, Chiba Y, Osonoi T, Nakamura S, Sasaki H, Komori K, Oishi M, Okada A, Okuguchi F, Yanagisawa M, Sugimoto H, Sugiyama H, Takai M, Takaki M, Takamura H, Takeda H, Takeda H, Tanaka K, Miwa T, Tomonaga O, Taguchi M, Yamazaki K, Wada T, Yagi N, Yamaoka K, Yuhara A.

- Relationship between the efficacy of oral antidiabetic drugs and clinical features in type 2 diabetic patients (JDDM38). *J Diabetes Investig.* 2016;7(3):386-95.
114. Yamamoto Y, Yamaguchi S, Muramatsu Y, Terakado A, Sasho T, Akagi R, Endo J, Sato Y, Takahashi K. Quality of Life in Patients With Untreated and Symptomatic Hallux Valgus. *Foot Ankle Int.* 2016; 37(11):1171-1177.
 115. Ameku T, Taura D, Sone M, Numata T, Nakamura M, Shiota F, Toyoda T, Matsui S, Araoka T, Yasuno T, Mae S, Kobayashi H, Kondo N, Kitaoka F, Amano N, Arai S, Ichisaka T, Matsuura N, Inoue S, Yamamoto T, Takahashi K, Asaka I, Yamada Y, Ubara Y, Muso E, Fukatsu A, Watanabe A, Sato Y, Nakahata T, Mori Y, Koizumi A, Nakao K, Yamanaka S, Osafune K. Identification of MMP1 as a novel risk factor for intracranial aneurysms in ADPKD using iPSC models. *Sci Rep.* 2016; 6:30013.
 116. Misawa S, Sato Y, Katayama K, Nagashima K, Aoyagi R, Sekiguchi Y, Sobue G, Koike H, Yabe I, Sasaki H, Watanabe O, Takashima H, Nishizawa M, Kawachi I, Kusunoki S, Mitsui Y, Kikuchi S, Nakashima I, Ikeda S, Kohara K, Kanda T, Kira JI, Hanaoka H, Kuwabara S, on behalf of the Japanese POEMS Syndrome for Thalidomide (J-POST) Trial Study Group. Safety and efficacy of thalidomide in POEMS syndrome: a multicentre, randomised, double-blind, placebo-controlled trial. *Lancet Neurol.* 2016; 15(11):1129-37.
 117. Koiso T, Yamamoto M, Kawabe T, Watanabe S, Sato Y, Higuchi Y, Yamamoto T, Matsumura A, Kasuya H, Barfod BE. A case-matched study of stereotactic radiosurgery for patients with brain metastases: comparing treatment results for those with versus without neurological symptoms. *J Neurooncol.* 2016;130(3):581-590.
 118. Koiso T, Yamamoto M, Kawabe T, Watanabe S, Sato Y, Higuchi Y, Yamamoto T, Matsumura A, Kasuya H. Follow-up results of brain metastasis patients undergoing repeat Gamma Knife radiosurgery. *J Neurosurg.* 2016;125:2-10.
 119. Kawabe T, Yamamoto M, Sato Y, Yomo S, Kondoh T, Nagano O, Serizawa T, Tsugawa T, Okamoto H, Akabane A, Aita K, Sato M, Jokura H, Kawagishi J, Shuto T, Kawai H, Moriki A, Kenai H, Iwai Y, Gondo M, Hasegawa T, Yasuda S, Kikuchi Y, Nagatomo Y, Watanabe S, Hashimoto N. Gamma Knife radiosurgery for brain metastases from pulmonary large cell neuroendocrine carcinoma: a Japanese multi-institutional cooperative study (JLGK1401). *J Neurosurg.* 2016; 125:11-17.
 120. Matsumoto J, Hirano Y, Hashimoto K, Ishima T, Kanahara N, Niitsu T, Shiina A, Hashimoto T, Sato Y, Yokote K, Murano S, Kimura H, Hosoda Y, Shimizu E, Iyo M, Nakazato M. Altered serum level of matrix metalloproteinase-9 and its association with decision-making in eating disorders. *Psychiatry Clin Neurosci.* 2017;71(2):124-134.
 121. Yamaguchi N, Misawa S, Sato Y, Nagashima K, Katayama K, Sekiguchi Y, Iwai Y, Amino H, Suichi T, Yokota T, Nishida Y, Kohara N, Hirata K, Nishiyama K, Yabe I, Kaida KI, Suzuki N, Nodera H, Tsuji S, Koike H, Kira JI, Hanaoka H, Kusunoki S, Kuwabara S; JET-GBS Group. A Prospective, Multicenter, Randomized Phase II Study to Evaluate the Efficacy and Safety of Eculizumab in

- Patients with Guillain-Barré Syndrome (GBS): Protocol of Japanese Eculizumab Trial for GBS (JET-GBS). *JMIR Res Protoc.* 2016;5(4):e210.
122. Sato S, Hasegawa M, Okuyama M, Okazaki J, Kitamura Y, Sato Y, Ishikawa T, Sato Y, Isono S. Mask Ventilation during Induction of General Anesthesia: Influences of Obstructive Sleep Apnea. *Anesthesiology.* 2017; 126(1):28-38.
 123. Tanaka A, Murohara T, Taguchi I, Eguchi K, Suzuki M, Kitakaze M, Sato Y, Ishizu T, Higashi Y, Yamada H, Nanasato M, Shimabukuro M, Teragawa H, Ueda S, Kodera S, Matsuhisa M, Kadokami T, Kario K, Nishio Y, Inoue T, Maemura K, Oyama J, Ohishi M, Sata M, Tomiyama H, Node K; PROTECT Study Investigators. Rationale and design of a multicenter randomized controlled study to evaluate the preventive effect of ipragliflozin on carotid atherosclerosis: the PROTECT study. *Cardiovasc Diabetol.* 2016;15(1):133. doi: 10.1186/s12933-016-0449-7.
 124. Koshizaka M, Ishikawa K, Ishikawa T, Kobayashi K, Takemoto M, Horikoshi T, Shimousa R, Takahashi S, Nagashima K, Sato Y, Tatsuno I, Terano T, Hashimoto N, Kurabayashi N, Uchida D, Yokote K, on behalf of the PRIME-V Study Investigators. Efficacy and safety of ipragliflozin and metformin for visceral fat reduction in type 2 diabetes patients receiving treatment with dipeptidyl peptidase-4 inhibitors in Japan: A study protocol for a prospective, multicenter, blinded-endpoint phase IV randomized controlled trial (PRIME-V study). *BMJ Open.* 2017;7(5):e015766.
 125. Nishida H, Tabata M, Fukui T, Sato Y, Kin H, Takanashi S. A systematic approach to improve the outcomes of type A aortic dissection. *J Thorac Cardiovasc Surg.* 2017;154(1):89-96.e1.
 126. Korematsu S, Nagashima K, Sato Y, Nagao M, Hasegawa S, Nakamura H, Sugiura S, Miura K, Okada K, Fujisawa T. "Spike" in acute asthma exacerbations during enterovirus D68 epidemic in Japan: A nation-wide survey. *Allergology International* 2018;67(1):55-60.
 127. Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Impact of geographic accessibility on utilization of the annual health check-ups by income level in Japan: A multilevel analysis. *PLoS ONE* 2017;12(5):e0177091.
 128. Sato Y, Gosho M, Nagashima K, Takahashi S, Ware JH, Laird NM. Statistical methods in the Journal — an update. *New England Journal of Medicine* 2017;376(11):1086–1087.
 129. Nagashima K, Sato Y. Information criteria for Firth's penalized partial likelihood approach in Cox regression models. *Stat Med.* 2017;36(21):3422-3436.
 130. Hashimoto K, Ishima T, Sato Y, Bruno D, Nierenberg J, Marmor CR, Zetterberg H, Blennow K, Pomara N. Increased levels of ascorbic acid in the cerebrospinal fluid of cognitively intact elderly patients with major depression: a preliminary study. *Sci Rep.* 2017;7(1):3485.
 131. Miyazaki K, Sato Y, Hanaoka H, Uyama Y. Current Status and Open Issues Concerning Global Clinical Trials (GCTs) in Japan and East Asia. *Clin Transl Sci.* 2017;10(6):503-508.
 132. Gosho M, Sato Y, Nagashima K, Takahashi S. Trends in study design and the statistical methods employed in a leading general medicine journal. *Journal of Clinical Pharmacy and Therapeutics*

2018;43(1):36-44.

133. Nakagawa R, Yamaguchi S, Kimura S, Sadamasu A, Yamamoto Y, Sato Y, Akagi R, Sasho T, Ohtori S. Association of anxiety and depression with pain and quality of life in patients with chronic foot and ankle diseases. *Foot Ankle Int.* 2017;38(11):1192-1198
134. Yamamoto M, Serizawa T, Higuchi Y, Sato Y, Kawagishi J, Yamanaka K, Shuto T, Akabane A, Jokura H, Yomo S, Nagano O, Aoyama H. A multi-institutional prospective observational study of stereotactic radiosurgery for patients with multiple brain metastases (JLGK0901 study update): irradiation-related complications and long-term maintenance of mini-mental state examination scores. *International Journal of Radiation Oncology, Biology, Physics* 2017;99(1):31-40.
135. Nishide A, Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Income-related inequalities in access to dental care services in Japan. *International Journal of Environmental Research and Public Health* 2017;14(5):524.
136. Tanaka A, Shimabukuro M, Okada Y, Taguchi I, Yamaoka-Tojo M, Tomiyama H, Teragawa H, Sugiyama S, Yoshida H, Sato Y, Kawaguchi A, Ikebara Y, Machii N, Maruhashi T, Shima KR, Takamura T, Matsuzawa Y, Kimura K, Sakuma M, Oyama JI, Inoue T, Higashi Y, Ueda S, Node K, EMBLEM Trial Investigators. Rationale and design of a multicenter placebo-controlled double-blind randomized trial to evaluate the effect of empagliflozin on endothelial function: the EMBLEM trial. *Cardiovascular Diabetology* 2017;16(1):48.
137. Katakami N, Mita T, Yoshii H, Shiraiwa T, Yasuda T, Okada Y, Umayahara Y, Kaneto H, Osonoi T, Yamamoto T, Kurabayashi N, Maeda K, Yokoyama H, Kosugi K, Ohtoshi K, Hayashi I, Sumitani S, Tsugawa M, Ohashi M, Taki H, Nakamura T, Kawashima S, Sato Y, Watada H, Shimomura I; UTOPIA study investigators. Rationale, Design, and Baseline Characteristics of the Utopia Trial for Preventing Diabetic Atherosclerosis Using an SGLT2 Inhibitor: A Prospective, Randomized, Open-Label, Parallel-Group Comparative Study. *Diabetes Ther.* 2017; 8(5):999-1013.
138. Kanai T, Uzawa A, Sato Y, Suzuki S, Kawaguchi N, Himuro K, Oda F, Ozawa Y, Nakahara J, Suzuki N, Takahashi Y, Ishibashi S, Yokota T, Ogawa T, Yokoyama K, Hattori N, Izaki S, Oji S, Nomura K, Kaneko J, Nishiyama K, Yoshino I, Kuwabara S. A clinical predictive score for postoperative myasthenic crisis. *Ann Neurol.* 2017; 82(5):841-849.
139. Tojo M, Yamaguchi S, Amano N, Ito A, Futono M, Sato Y, Naka T, Kimura S, Sadamasu A, Akagi R, Ohtori S. Prevalence and associated factors of foot and ankle pain among nurses at a university hospital in Japan: A cross-sectional study. *J Occup Health.* 2017 In press.
140. Alkebsi L, Ideno Y, Lee JS, Suzuki S, Nakajima-Shimada J, Ohnishi H, Sato Y, Hayashi K. Gastroduodenal Ulcers and ABO Blood Group: the Japan Nurses' Health Study (JNHS). *J Epidemiol.* 2018;28(1):34-40.
141. Matsushita A, Hattori T, Tsunoda Y, Sato Y, Mihara W. Impact of initial aortic diameter and false-lumen area ratio on Type B aortic dissection prognosis. *Interact Cardiovasc Thorac Surg.*

2018;26(2):176-182.

142. Isono S, Sato S, Hasegawa M, Okuyama M, Okazaki J, Kitamura Y, Sato Y, Ishikawa T, Sato Y. In Reply. *Anesthesiology*. 2017;127(5):897-898.
143. Sato D, Yoshinaga N, Nagai E, Hanaoka H, Sato Y, Shimizu E. Study protocol for a pilot randomized controlled trial on the effect of internet-delivered computerized cognitive behavioral therapy on patients with insomnia who remain symptomatic following hypnotics. *BMJ Open* 2018;8(1):e018220.
144. Furuta S, Sugiyama T, Umibe T, Kaneko Y, Amano K, Kurasawa K, Nakagomi D, Hanaoka H, Sato Y, Ikeda K, Nakajima H and on behalf of the LoVAS Trial study investigators. Low-dose Glucocorticoids Plus Rituximab versus High-dose Glucocorticoids Plus Rituximab for Remission Induction in ANCA-associated Vasculitis (LoVAS): Protocol for a Multicentre, Open Label, Randomised Control Trial. *BMJ Open* 2017;7(12):e018748.
145. Kotoooka N, Kitakaze M, Nagashima K, Asaka M, Kinugasa Y, Nohioka K, Mizuno A, Nagatomo D, Mine D, Yamada Y, Kuratomi A, Okada N, Fujimatsu D, Kuwahata S, Toyoda S, Hirotani SI, Komori T, Eguchi K, Kario K, Inomata T, Sugi K, Yamamoto K, Tsutsui H, Masuyama T, Shimokawa H, Momomura SI, Seino Y, Sato Y, Inoue T, Node K; HOMES-HF study investigators. The first multicenter, randomized, controlled trial of home telemonitoring for Japanese patients with heart failure: home telemonitoring study for patients with heart failure (HOMES-HF). *Heart Vessels*. 2018 Feb 15. doi: 10.1007/s00380-018-1133-5.
146. Inokuma Y, Sato Y, Masuda S. Reporting Patterns of Marketing Authorization Holders, Healthcare Professionals, and Patients in Adverse Event Reporting in Japan: Lessons Learnt From the Human Papilloma Virus Vaccine. *Pharmaceutical Medicine*. 2018 in press.
147. Sato Y, Ueno H, Ioka T, Ohkawa S, Ikeda M, Shimamura T, Tsuji A, Tsuchiya Y, Furuse J, Ishii H, Furuya K, Iguchi H, Saito Y, Kaniwa N, Sawada JI, Sakamoto H, Sekine A, Okusaka T, Yoshida T, on behalf of GEST. SLCO1B1 Polymorphism is a Drug Response Predictive Marker for Advanced Pancreatic Cancer Patients Treated with Gemcitabine, S-1, or Gemcitabine Plus S-1. *Pancreas*. 2018 in press.
148. Hoshina A, Kawamoto T, Sueta SI, Mae SI, Araoka T, Tanaka H, Sato Y, Yamagishi Y, Osafune K. Development of new method to enrich human iPSC-derived renal progenitors using cell surface markers. *Sci Rep*. 2018;8(1):6375.
149. Misawa S, Kuwabara S, Sato Y, Yamaguchi N, Nagashima K, Katayama K, Sekiguchi Y, Iwai Y, Amino H, Suichi T, Yokota T, Nishida Y, Kanouchi T, Kohara N, Kawamoto M, Ishii J, Kuwahara M, Suzuki H, Hirata K, Kokubun N, Masuda R, Kaneko J, Yabe I, Sasaki H, Kaida K, Takazaki H, Suzuki N, Suzuki S, Nodera H, Matsui N, Tsuji S, Koike H, Yamasaki R, Kusunoki S, for the Japanese Eculizumab Trial for GBS (JET-GBS) Study Group. Safety and efficacy of eculizumab in Guillain-Barré syndrome: a multicentre, double-blind, placebo-controlled, randomised phase 2 trial. *Lancet Neurol*. 2018. S1474-4422(18)30114-5.

150. Fujita M, Sugiyama M, Sato Y, Nagashima K, Takahashi S, Mizokami M, Hata A. Hepatitis B virus reactivation in patients with rheumatoid arthritis: Analysis of the National Database of Japan. *J Viral Hepat.* 2018. In press
151. Watanabe M, Kohno H, Kondo Y, Ueda H, Ishida K, Tamura Y, Abe S, Sato Y, Kobayashi Y, Matsumiya G. Is ganglionated plexus ablation effective for treating atrial fibrillation? *Surgery Today.* 2018. In press
152. Yamamoto T, Yoshida S, Nakajima T, Fujiwara T, Suzuki H, Iwata T, Sato Y, Yoshino I. Bronchoscopic assessment of bronchial anastomosis by visualizing local circulation status-index of hemoglobin (IHb) imaging. *J Thorac Dis.* 2018;10(4):2196-2205.
153. Hasegawa T, Hashimoto T, Kanahara N, Yamanaka H, Ishige M, Sato Y, Iyo M. Identifying improvable employment-related factors in schizophrenia patients. *Psychiatry Res.* 2018; 266:199-205.
154. Sakuma M, Toyoda S, Arikawa T, Koyabu Y, Kato T, Adachi T, Suwa H, Narita JI, Anraku K, Ishimura K, Yamauchi F, Sato Y, Inoue T; For Excited UA study Investigators. The effects of xanthine oxidase inhibitor in patients with chronic heart failure complicated with hyperuricemia: a prospective randomized controlled clinical trial of topiroxostat vs allopurinol-study protocol. *Clin Exp Nephrol.* 2018 in press.
155. Urao Y, Yoshida M, Koshiba T, Sato Y, Ishikawa SI, Shimizu E. Effectiveness of a cognitive behavioural therapy-based anxiety prevention programme at an elementary school in Japan: a quasi-experimental study. *Child Adolesc Psychiatry Ment Health.* 2018;12:33.
156. Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Medical costs attributable to overweight and obesity in Japanese individuals. *Obes Res Clin Pract.* 2018. pii: S1871-403X(18)30252-7.
157. Yamaguchi S, Akagi R, Kimura S, Sadamasu A, Nakagawa R, Sato Y, Kamegaya M, Sasho T, Ohtori S. Avulsion fracture of the distal fibula is associated with recurrent sprain after ankle sprain in children. *Knee Surg Sports Traumatol Arthrosc.* 2018.
158. Higuchi Y, Yamamoto M, Serizawa T, Aiyama H, Sato Y, Barfod BE. Modern management for brain metastasis patients using stereotactic radiosurgery: literature review and the authors' gamma knife treatment experiences. *Cancer Manag Res.* 2018;10: 1889-1899.
159. Nakae J, Koizumi M, Nakajima H, Okada S, Mohri T, Akai Y, Furuya M, Hayashino Y, Sato Y, Ishii H. Development of a self-efficacy questionnaire, "Insulin Therapy Self-efficacy Scale (ITSS)", for insulin users in Japanese: THE SELF-EFFICACY-Q study. *J Diabetes Investig.* 2018 in press.
160. Okada K, Yamaguchi S, Sato Y, Enomoto T, Ogawa Y, Ohtori S, Tahara M, Sasho T. Comparison of meniscal extrusion and osteophyte formation at the intercondylar notch as a predictive biomarker for incidence of knee osteoarthritis-Data from the Osteoarthritis Initiative. *J Orthop Sci.* 2018 in press.
161. Yamamoto M, Aiyama H, Koiso T, Watanabe S, Kawabe T, Sato Y, Higuchi Y, Barfod BE, Kasuya H. Postsurgical Salvage Radiosurgery for Nonfunctioning Pituitary Adenomas Touching/Compressing the Optic Chiasm: Median 13-Year Postirradiation Imaging Follow-up Results. *Neurosurgery.* 2018

in press.

162. Yamaguchi S, Sadamasu A, Kimura S, Akagi R, Yamamoto Y, Sato Y, Sasho T, Ohtori S. Non-Radiographic Measurement of Hallux Valgus Angle Using Self-Photography. *J Orthop Sports Phys Ther.* 2018 in press.
163. Muramatsu T, Isono S, Ishikawa T, Nozaki-Taguchi N, Okazaki J, Kitamura Y, Murakami N, Sato Y. Differences of Recovery from Rocuronium-induced Deep Paralysis in Response to Small Doses of Sugammadex between Elderly and Nonelderly Patients. *Anesthesiology.* 2018 in press.
164. Serizawa T, Higuchi Y, Yamamoto M, Matsunaga S, Nagano O, Sato Y, Aoyagi K, Yomo S, Koiso T, Hasegawa T, Nakazaki K, Moriki A, Kondoh T, Nagatomo Y, Okamoto H, Kohda Y, Kawai H, Shidoh S, Shibasaki T, Onoue S, Kenai H, Inoue A, Mori H. Comparison of treatment results between 3- and 2-stage Gamma Knife radiosurgery for large brain metastases: a retrospective multi-institutional study. *J Neurosurg.* 2018 in press.